INFO	2 N /1 /	ΔΤΙΩΝΙ Ι	חופכו מ	SURF	ATTY. DOCKET NO. A-68294/RMS/DHR			IAL NO. 04,010		\/ <b>C</b> D
INFORMATION DISCLOSURE					APPLICANT LOU, et al.				RECEIVED	
APR 1 8 2001		PTO-1449			FILING DATE Sept. 23, 1999	APR 2 0 2001 GROUP 1646 TECH CENTER 1600/2900				
Very .	[E]	<del> </del>		U.S. PATI	ENT DOCUMENTS	<del></del> -		+6	<del>-UN UENTE</del>	1000/2500
EXAMPLE INITIALS		PATENT NO.	DATE		NAME	CLASS		SUBCLASS	FILING DATE	
	17	5,645,999	07/08/97	Roberts et al.		-	<u> </u>			
Vac			<u></u>			<u>                                     </u>				· · · · · · · · · · · · · · · · · · ·
			<del>                                     </del>	<u> </u>	·					
FOREIGN PATENT DOCUMENTS										
EXAMINERS INITIALS		PATENT NO.	DATE		COUNTRY	CLASS		SUBCLASS	Yes	lation No
alle	18	99/05175	02/04/99	wo				~	765	
1	19	97/97134	02/27/97	wo			_			,
	20	00/26670	05-11-00	wo		_	,			
i v								•		
						ļ				<u> </u>
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)										<u> </u>
Bieche, et al., "Two Distinct Amplified Regions at 17q11-q21 Involved in Human Primary Breast Cancer," Cance Research 56:3886-3890 (1996)										Cancer
-/1	22	Regnier, et al., "Presence of a New Conserved Domain in CART1, a Novel Member of the Tumor Necrosis Factor Receptor-associated Protein Family, Which is Expressed in Breast Carcinoma," <i>J Biol Chem</i> 270(43):25715-25721 (1995)								
	ر 23	Letwin, et al., "A mammalian dual specificity protein kinase, Nek1, is related to the NIMA cell cycle regulator and highly expressed in meiotic germ cells," <i>EMBO J</i> 11(10):3521-3532 (1992)								
	24	Rothe et al., "TRAF2-mediated activation of NF-kappa B by TNF receptor 2 and CD40," Science, 269(5229):1424-1427 (September 1995).								
	25_	Durkop et al., "Tumor necrosis factor receptor-associated factor 1 is overexpressed in Reed-Sternberg cells of Hodgkin's disease and Epstein-Barr virus transformed lymphoid cells," <i>Blood</i> , 93(2):617-623 (January 1999).								
	26	Schwenzer et al., "The human tumor necrosis factor (TNF) receptor-associated factor 1 gene (TRAF1) is Up-regulated by cytokines of the TNF ligand family and modulates TNF-induced activation of NF-kappaB and c-Jun N-terminal kinase," <i>J Biol Chem</i> , 274(27):19368-19374 (Jul 1999).								
Takeuchi et al., "Anatomy of TRAF2. Distinct domains for nuclear factor-kappaB activation and association necrosis factor signaling proteins," <i>J Biol Chem</i> , 271(33):19935-19942 (August 1996).								with tumor		
EXAMINER DATE CONSIDERED										

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation considered. Include copy of this form with next communication to applicant.

8085 1449A.FRM (8/95) #1046068